

Inlet & Outlet Online Monitoring Data

| Sr. No. | Date | INLET | | | | | OUTLET | | | | |
|---------|----------------|-------------|------------|---------------|------------|----------------|-------------|------------|---------------|------------|-------------|
| | | pH | BOD (mg/l) | COD (mg/l) | TSS (mg/l) | TDS (mg/l) | pH | BOD (mg/l) | COD (mg/l) | TSS (mg/l) | TDS (mg/l) |
| 1 | 08/04/2019 | 7.74 | 225 | 616 | 162 | 2870 | 7.69 | 26 | 172 | 30 | 1880 |
| 2 | 01/04/2019 | 7.61 | 290 | 928 | 100 | 3576 | 7.92 | 26 | 160 | 28 | 1952 |
| 3 | 25/03/2019 | 7.98 | 296 | 960 | 200 | 3240 | 7.75 | 28 | 204 | 40 | 1760 |
| 4 | 18/03/2019 | 7.86 | 365 | 1128 | 220 | 3642 | 7.83 | 28 | 152 | 48 | 1748 |
| 5 | 15/03/2019 | 7.85 | 256 | 816 | 210 | 3238 | 8 | 30 | 156 | 34 | 1768 |
| 6 | 11/03/2019 | 7.59 | 254 | 752 | 200 | 3280 | 7.7 | 24 | 136 | 24 | 1578 |
| | Average | 7.77 | 281 | 866.67 | 182 | 3307.67 | 7.82 | 27 | 163.33 | 34 | 1781 |